

Secret	

25X1

Registry

## Science and Weapons Daily Review

Thursday
26 September 1985

NGA Review Completed

Secret

SW SWDR 85-184 26 September 1985

Copy

258



	SECRET	25X1		
	CONTENTS			
	26 SEPTEMBER 1985			
1	USSR: FIRE DISABLES PARTICLE ACCELERATOR	25X1		
25X1	a fire disabled the			
	largest particle accelerator at the Novosibirsk Institute of Nuclear Physics on 8 August 1985: the damage deals a serious			

blow to high-energy physics research at the institute, a

major Soviet experimental center.

Sanitized Copy Approved for Release 2010/01/11: CIA-RDP86R00254R000303190001-4

26 SEPTEMBER 1985 SW SWDR 85-184 25X1

anitized Copy Approved for Release 2010/01/11: CIA-RDP86R00254R000303190001-4	
SECRET	
	25X1

**OSWR** 

25X1

## Science and Weapons Daily Review

FIRE DISABLES PARTICLE ACCELERATOR	25X
a fire swept through the control center of the VEPP-4 electron-positron accelerator/storage-ring at the Novosibirsk Institute of Nuclear Physics (IYaF) on 8 August 1985. The fire did 10 to 15 million rubles worth of damage and will keep the accelerator out of commission for an extended period. The person in charge	25 <b>X</b> 1
of monitoring the accelerator apparently was drunk and died in the fire, along with a group of firefighters.	25X1
	25X1
Comment:	
The damage to the VEPP-4 accelerator deals a serious blow to high-energy physics research at IYaF, a major Soviet experimental center. VEPP-4 is a key facility for studying particle beam interactions, free-electron lasers, and synchrotron radiation. The VEPP-4 facility at Novosibirsk is a	
5-billion-electron-volt electron-positron collider with a ring circumference of 360 meters. It is the newest and largest of several	
storage-ring and colliding-beam devices at IYaF. VEPP-4 went into operation in 1979, but was scheduled to receive major improvements and	25X1

26 SEPTEMBER 1985 SW SWDR 85-184

<u></u>		
25X1		
Although we do not know the precise extent of the fire damage to VEPP-4, we estimate that the accelerator will be out of service for at least one year, and perhaps much longer. Depending on the severity of the damage, the Soviets may choose to build an entirely new, more powerful storage ring instead of refurbishing the old one.		25X1
Rings such as VEPP-4 are useful for fundamental studies of the free-electron laser mechanism, although the low beam currents of electron storage rings seriously restrict the peak laser output power. VEPP-4 also was used as a source of synchrotron radiation for materials-science research and X-ray lithographyfull-time for 40 days per year, and part-time the remainder of the year. Other studies at VEPP-4 included trace element analysis, scanning microscopy, and experimental work on very-large-scale integrated circuit fabrication.	25X1	
	25X1	

Secre	Sanitized Copy e <b>t</b>	Approved for R	elease 2010/01	1/11 : CIA-RDP8	36R00254R00030	)3190001-4
Secre	et					